

N90845.AR.001071
NWIRP BETHPAGE
5090.3a

FINAL REPAIR AND SAMPLING SUMMARY FOR BPOW 2-1 AND BPOW 2-2 OUTPOST
MONITORING WELLS NWIRP BETHPAGE NY
1/31/2011
TETRA TECH

**BPOW 2-1 AND BPOW 2-2 OUTPOST MONITORING WELLS
REPAIR AND SAMPLING SUMMARY
NWIRP BETHPAGE, NEW YORK**

INTRODUCTION

This document summarizes activities conducted to repair and sample Outpost Monitoring Wells BPOW 2-1 and BPOW 2-2 at Naval Weapons Industrial Reserve Plant (NWIRP) Bethpage (Figure 1). These activities include:

- Monitoring well repair (BPOW 2-1)
- Development of monitoring wells (BPOW 2-1, and BPOW2-2)
- Analytical results from October 2010 and December 2010 sampling events (BPOW 2-1, and BPOW 2-2)

BACKGROUND

In April 2003, the Navy issued the OU 2 Record of Decision (ROD) that in part identified the installation of Outpost Monitoring Wells BPOW 2-1 and 2-2. These monitoring wells were installed to provide a 4-year time period between site-related volatile organic compounds (VOCs) being detected in the outpost monitoring wells and a potential impact at South Farmingdale Water District Plant No. 3. A potential impact would consist of the detection of any site-related VOCs being at 0.5 micrograms per liter ($\mu\text{g/L}$) or greater. The wells were placed (horizontally and vertically) based on modeling efforts that identified flow pathways between the estimated location of site-related contamination at that time and the first detection of the contamination into the well field. The modeling used a target value of 0.5 $\mu\text{g/L}$ for individual VOCs in the public water supply, which is a factor of 10 less than the maximum contaminant level (MCL) of 5 $\mu\text{g/L}$ for most of the site-related VOCs.

In August and September 2003, the Navy installed and developed Outpost Monitoring Wells 2-1 and 2-2. In April 2004, the Navy installed dedicated pumps and packers in the wells. In May and June 2004, Northrop Grumman Corporation (NGC) collected the first groundwater samples from this area. The initial round of sampling for BPOW 2-1 was conducted in June 2004 and detected total volatile organic compound (TVOCs) at a concentration of 3.78 $\mu\text{g/L}$, including trichloroethene (TCE) detected at 1.1 $\mu\text{g/L}$. Two additional samples were collected from BPOW 2-1 in August 2004, and TVOCs totaled 6.8 and 5.4 $\mu\text{g/L}$, including TCE detected at a concentration of 1.8 $\mu\text{g/L}$ in both samples. Benzene was also detected at a maximum concentration of 42 $\mu\text{g/L}$ in these samples.

The initial round of sampling for BPOW 2-2 was conducted in May 2004, TCE was detected at a concentration of 0.84 ug/L. No other VOCs were detected in this sample, or in the two subsequent samples collected in May and June 2004.

Between 2004 and mid-2007, NGC continued to sample these wells on a quarterly basis. TVOCs were consistently detected in BPOW 2-1 at concentrations ranging from 3.6 ug/L to 10.24 ug/L. TVOCs were not detected in samples collected from BPOW 2-2 in the 2004 quarterly samples subsequent to the May 2004 event, but were consistently detected in groundwater samples collected from 2005 to 2007, with TVOC detections in BPOW 2-2 ranging from 0.55 to 2.4 ug/L. The maximum individual VOC detected in BPOW 2-2 was TCE at 1.4 ug/L in July 2006.

In 2007, in response to benzene detected in BPOW 2-1, NYSDEC conducted an investigation of groundwater in the area. This investigation included the removal of dedicated sampling pump and packer assemblies in outpost monitoring wells BPOW 2-1 and BPOW 2-2. This evaluation continued through 2008 and concluded that the well casing for BPOW 2-1 was cracked and that the detections of VOCs in BPOW 2-1 were the result of shallow contaminated groundwater infiltrating the casing and flowing downward into the screen interval. Because this crack resulted in a conduit for migration of shallow groundwater contamination into a zone that may be intercepted by a water district well, in 2009 the Navy repaired the well by installing a 2-inch monitoring well within the 4-inch well and using a bentonite/cement grout sealed the annular space above the screen zone. Additional detail on the repair and subsequent actions are described below.


OUTPOST MONITORING WELL BPOW 2-1

- BPOW 2-1 was repaired in May 2009. The monitoring well repair construction log is provided in Attachment 1.
- BPOW 2-1 was re-developed on October 5, 2010. The monitoring well development log is provided in Attachment 2.
- New dedicated submersible pump was installed on December 7, 2010.
- Groundwater samples were collected from BPOW 2-1 on October 6, 2010 and December 8, 2010. The sample collected in October 2010 was collected at the end of development to provide an initial evaluation of groundwater quality and are considered to be screening level quality. The sample collected in December 2010 is representative of stabilized groundwater conditions and is considered a high level quality sample.
- Samples were analyzed for Target Compound List (TCL) VOCs. Sample logs sheets documenting the collection of these samples are provided in Attachment 3. Sample Chain of Custody forms are provided in Attachment 4.

- Site-related VOCs were not detected in groundwater samples collected BPOW 2-1 during the October and December 2010 sampling events.
- Data validation reports are provided in Attachment 5.

OUTPOST MONITORING WELL BPOW 2-2

- No repairs were conducted on BPOW 2-2.
- BPOW 2-2 was re-developed on December 7, 2010. The monitoring well development log is provided in Attachment 2.
- A decontaminated submersible pump was installed on December 7, 2010 as documented in Attachment 1.
- Groundwater samples were collected from BPOW 2-2 on October 7, 2010 and December 8, 2010. The samples were analyzed for TCL VOCs. Sample logs sheets documenting the collection of these samples are provided in Attachment 3. Sample Chain of Custody forms are provided in Attachment 4.
- The sample collected from October 2010 had a single positive VOC detection, chloroethane at 12 µg/L. Chloroethane was also detected in the trip blank sample associated with this sampling event at a concentration of 13 µg/L. Because chloroethane was not detected in associated laboratory method blank, data validation did not reject the detection. However, it is suspected that the detection of chloroethane in the October 2010 BPOW 2-2 sample was attributed to laboratory contamination.
- Chloroethane was not detected in the December 2010 sample. However, 1,1-Dichloroethane was detected in this sample at 0.74 µg/L. This detection was qualified as an estimated value. Laboratory data validation qualified this detection as uncertainty near detection limit.
- Data validation reports are provided in Attachment 5.











DRAWN BY	DATE
MF	12/9/06
CHECKED BY	DATE
REVISD BY	DATE
SCALE	AS NOTED




Tetra Tech
NUS, Inc.

GENERAL LOCATION MAP
ESD
NWIRP BETHPAGE
BETHPAGE, NEW YORK

CONTRACT NO.	9845
OWNER NO.	0002
APPROVED BY	DATE
DRAWING NO.	REV.
FIGURE 1	0

	GROUNDWATER SAMPLING LOCATION		HIGHWAY
	VERTICAL PROFILE BORING		MAJOR LOCAL ROAD
	WATER SUPPLY WELL		MINOR LOCAL ROAD
	PROPOSED VERTICAL PROFILE BORING AND OUTPOST MONITORING WELL LOCATION (2010/2011 INVESTIGATION)		1997 NORTHROP-GRUMMAN BETHPAGE BOUNDARY
	BUILDING		1997 NWIRP BETHPAGE BOUNDARY



OPERABLE UNIT 2 (SITE 1)
OUTPOST MONITORING WELLS BPOW 2-1
AND BPOW 2-2 LOCATION MAP
NAVAL WEAPONS INDUSTRIAL
RESERVE PLANT
BETHPAGE, NEW YORK

SCALE
AS NOTED

REV 0	DATE 01/27/11
----------	------------------

ATTACHMENT 1
MONITORING WELL REPAIR/CONSTRUCTION
CONSTRUCTION LOG

Attachment B
New Monitoring Well

WELL NO.: OW 2-1



Tetra Tech NUS, Inc.

OVERBURDEN
MONITORING WELL SHEET
FLUSH - MOUNT

Repair by UTD

PROJECT <u>NWIRP Bethpage</u>	LOCATION <u>Bethpage</u>	DRILLER <u>Unit 4th</u>
PROJECT NO. <u>11260010220</u>	BORING <u>NA</u>	DRILLING METHOD <u>NA</u>
DATE BEGUN <u>5/14/2009</u>	DATE COMPLETED <u>5/14/2009</u>	DEVELOPMENT METHOD <u>Not Developed</u>
FIELD GEOLOGIST <u>STAN CONTZ</u>		
GROUND ELEVATION _____	DATUM _____	

ACAD:FORM_MWFM.dwg 07/20/99 INL

FLUSH MOUNT
SURFACE CASING
WITH LOCK

ELEVATION TOP OF RISER: _____

TYPE OF SURFACE SEAL: Concrete Pad

TYPE OF PROTECTIVE CASING: _____

Steel-Flush Mount

I.D. OF PROTECTIVE CASING: 12" Diameter

DIAMETER OF HOLE: Original 8"

TYPE OF RISER PIPE: 2" Schedule 40

PVC riser

RISER PIPE I.D.: 2.067"

TYPE OF BACKFILL/SEAL: _____

Cement / bentonite grout

ELEVATION/DEPTH TOP OF SEAL: _____

TYPE OF SEAL: Bentonite slurry

ELEVATION/DEPTH TOP OF SAND: #0 Sand 340-346 /

#1 Sand 346-356

ELEVATION/DEPTH TOP OF SCREEN: _____

TYPE OF SCREEN: Schedule 40 PVC

SLOT SIZE x LENGTH: 10 slot

TYPE OF SAND PACK: #1 filter sand

DIAMETER OF HOLE IN BEDROCK: NA

ELEVATION / DEPTH BOTTOM OF SCREEN: _____

ELEVATION / DEPTH BOTTOM OF SAND: _____

ELEVATION/DEPTH BOTTOM OF HOLE: _____

BACKFILL MATERIAL BELOW SAND: NA

2-inch Grundfos Pump
bottom of pump at 390 feet

Pump installed on 12/8/2010.

396'
ETW
1/31/11



Tetra Tech NUS, Inc.

WELL No.: BPOW 2-2

MONITORING WELL SHEET

PERMIT No:

PROJECT: NWIRP DRILLING Co.: UNITECH BORING No.: BPOW 2-2
 PROJECT No.: N4037 DRILLER: EVANS DATE COMPLETED: 8/20/03
 SITE: BPOW 2 DRILLING METHOD: MUD ROT NORTHING: _____
 GEOLOGIST: CONT1 DEV. METHOD: _____ EASTING: _____

Ground Elevation Datum:

Elevation / Depth of Top of Riser: 1Elevation / Height of Top of Surface Casing: 1

I.D. of Surface Casing: _____

Type of Surface Casing: STEELType of Surface Seal: CONCRETE PADI.D. of Riser: 3 13/16"Type of Riser: PVC SCH 80Borehole Diameter: 8"Type of Backfill: VOLCLAY GROUTElevation / Depth of Seal: F SAND #0 1425Type of Seal: NAElevation / Depth of Top of Filter Pack: (c) 1435Elevation / Depth of Top of Screen: 1455Type of Screen: PVC SCH 80Slot Size x Length: 10 SL x 40'I.D. of Screen: 3 13/16"Type of Filter Pack: #1 SILICA SANDElevation / Depth of Bottom of Screen: 1495Elevation / Depth of Bottom of Filter Pack: 1496Type of Backfill Below Well: SANDElevation / Total Depth of Borehole: 1510

Not to Scale

16-inch packer from 415 feet to 416 feet and 4 inches

3-inch Grundfos Pump, bottom of pump at 421 feet

Pump installed on 12/8/2010.

REV 2/12/04

ATTACHMENT 2
MONITORING WELL
DEVELOPMENT LOG




Tetra Tech NUS, Inc.

MONITORING WELL DEVELOPMENT RECORD

Page 1 of 14"
20.56 TPvc
2-2Well: BPOW-2-1Depth to Bottom (ft.): ~396'Responsible Personnel: ContiSite: OU2 BETHPAGEStatic Water Level Before (ft.): 21.35Drilling Co.: DeltaDate Installed: 5/14/09Static Water Level After (ft.): Project Name: Bethpage OU-2 Offsite GWDate Developed: 10-5-10Screen Length (ft.): 40'Project Number 112G00622Dev. Method: AIR LIFT/PUMPSpecific Capacity: Pump Type: GRUNDFOS 2" ΦCasing ID (in.): 2"

REPAIRED ON 5/14/09 PLACED 2" INSIDE 4" Φ

Time	Estimated Sediment Thickness (Ft.)	Cumulative Water Volume (Gal.)	Water Level Readings (Ft. below FOO)	Temperature (Degrees C)	pH	Specific Conductance (Units <u> </u>)	Turbidity (NTU)	Remarks (odor, color, etc.)
			BGS			ms/cm		
1130	NA	—	21.35					NO ODOR.
1200	"	300		15.16	4.50	0.175	185	~10 GPM CLOUDY
1300	"							~30 GPM CLEAR
1315	"	750		15.45	4.36	0.077	4.1	CLEAR
1330	"	1000	21.35	15.50	4.34	0.071	4.0	CLEAR AVE ~16.7 GPM
		XXXX						
0825	NA	—	21.29					AIR LIFT.
0945	NA	START						START AIR LIFT
1000	"	500±	NA	14.87	4.27	0.151	1.0	CLEAR
1015	"	1000	"	14.36	4.40	0.089	3.0	" ~33 GPM
		GO EMPTY						
1100	"	START	NA	—	—	—	—	
1115	"	500	NA	14.68	4.59	0.078	1.8	CLEAR.
1130	"	1000	NA	14.32	4.51	0.075	2.1	"
		3000	TOTAL AIR LIFT					JD Conti



Page 1 of 1

Well: BROW 2-2 Depth to Bottom (ft.): ~510' Responsible Personnel: Conti
 Site: BETHPAGE OU-2 Static Water Level Before (ft.): 20.56 Drilling Co.: Delta
 Date Installed: _____ Static Water Level After (ft.): _____ Project Name: Bethpage OU-2 Offsite GW
 Date Developed: 10-7-10 Screen Length (ft.): _____ Project Number 112G00622
 Dev. Method: AIR LIFT/PUMP Specific Capacity: _____
 Pump Type: GRUNDFOS Casing ID (in.): 4" SCH 80

~ 80 GPM/AIR LIFT/HOSE @ 300'±

[illegible]

ATTACHMENT 3
GROUNDWATER SAMPLE LOG



Tetra Tech NUS, Inc.

GROUNDWATER SAMPLE LOG SHEET

Page 1 of 1

Project Site Name: **BETHPAGE OU-2 OFFSITE GW**
 Project No.: **112G00622**
PRE-DESIGN FIELD INVES

Sample ID No.: **1 BP-OW-2-1**
 Sample Location: **BPCW 2-1**
 Sampled By: **SJC**

- ☐ Domestic Well Data
☒ Monitoring Well Data
☐ Other Well Type: _____
☐ QA Sample Type: _____

C.O.C. No.: **028424**
 Type of Sample:
☒ Low Concentration
☐ High Concentration

SAMPLING DATA:

Date: 10/6/10	Color	pH	S.C.	Temp.	Turbidity	DO	ORP	Other
Time: 1410	Visual	Standard	mS/cm	Degrees C	NTU	mg/l	mV	NA
Method: Pump	CLEAR	4.62	0.71	15.98	1.0	2.49	319	—

PURGE DATA:

TIME

WATER LEV

Date: 10/6/10	1330	4.68	—	—	—	—	—	—
Method: Pump (2")	1340	4.60	0.77	16.94	5.8	5.44	307	21.78
Monitor Reading (ppm): 0	1350	4.65	0.72	16.02	0.3	2.77	315	21.90
Well Casing Diameter & Material	1400	4.62	0.72	16.04	1.2	2.54	318	22.05
Type: 2" P PVC	1410	4.60	0.71	15.98	1.0	2.49	319	22.14
Total Well Depth (TD): 396								
Static Water Level (WL): 20.85								
One Casing Volume (gal): 61								
Start Purge (hrs): 1330								
End Purge (hrs): 1410								
Total Purge Time (min): 40								
Total Vol. Purged (gal): 280								

~7GPM

SAMPLE COLLECTION INFORMATION: Strike thru analysis not required

Analysis	Preservative	Container Requirements	Collected
VOCs	HCL/4 DEG C	2- 40ml Glass Vials	✓

OBSERVATIONS / NOTES:

2" MW = 0.163 gal/ft

Sample taken at discreet intervals using a hydropunch sampler unless otherwise noted.

Not enough volume for water quality parameters
 Check box if not enough volume.

☐

Used pH paper instead of water quality meter
 Check box if used pH paper.

☐

Pump ~ 60' BGS
 SAMPLING RATE
 ~ 1 GPM


Circle if Applicable:

MS/MSD

Duplicate ID No.:

Signature(s):

SJC Conti



Page 1 of 1

C.O.C. No.: 028424
Type of Sample:
☒ Low Concentration
☐ High Concentration

✓ ~ 7 GPM
 CLEAR
 " "
 " "
 " "
 " (420 GAL)
 " (7 GPM)

WL AFTER DEV 24.10

3) Cont

Project Site Name: NwIRP Bethpage
Project No.: 112600632

Sample ID No.: APCW2-1-20101208

Sample Location: BP02-1

Sampled By: VAS

C.O.C. No.:

Type of Sample:

- ☐ Domestic Well Data
☒ Monitoring Well Data
☐ Other Well Type:
☐ QA Sample Type:

☒ Low Concentration

☐ High Concentration

SAMPLING DATA:

Date: 12-8-10	Color	pH	S.C.	Temp.	Turbidity	DO	Salinity	Other
Time: 1000	(Visual)	(S.U.)	(mS/cm)	(°C)	(NTU)	(mg/l)	(%)	ORP
Method: submersible pump	clear	4.25	0.059	11.18	0.0	4.86	0.0	263

PURGE DATA: (G-2/10.15)

[illegible]**SAMPLE COLLECTION INFORMATION:**[illegible]**OBSERVATIONS / NOTES:**

- Pump Flow rate ≈ 2.5 gpm initially
- Pump set in well at $\approx 390'$ BGS
- Sample split with ARCADIS
- No odors, stains, or elevated PID readings observed.

water level

0845	→	20.85'
0900	→	20.90'
0920	→	20.91'
0940	→	20.90'

Circle if Applicable:

MS/MSD

Duplicate ID No.:

Signature(s):

WAS

Project Site Name: NWIRP Bethpage
Project No.:

Sample ID No.: BP0W2-2-20101208

Sample Location: BPow 3-2

Sampled By: VAS

C.O.C. No.:

Type of Sample:

Domestic Well Data

Monitoring Well Data

☐ Other Well Type:

QA Sample Type:

~~1~~ Low Concentration

High Concentration

SAMPLING DATA:

Date: 12-8-10	Color	pH	S.C.	Temp.	Turbidity	DO	Salinity	Other
Time: 1230	(Visual)	(S.U.)	(mS/cm)	(°C)	(NTU)	(mg/l)	(%)	ORP
Method: submersible pump	clear	4.15	8.106	11.20	0.0	4.59	0.0	268

PURGE DATA:	(Gallons)
-------------	-----------

[illegible]

SAMPLE COLLECTION INFORMATION:

[illegible]

OBSERVATIONS / NOTES:

- Pump set in well at ~ 421' BGS
- Pump flow rate ~ 3.0 gpm
- Sample split with ARCADES
- No stains, odors, or elevated PID readings observed.

water level

1120	→	27.15
1140	→	27.13
1200	→	27.14
1220	→	27.13
1230	→	27.14

Circle if Applicable:

MS/MSD

Duplicate ID No.:

Signature(s):

68AR

ATTACHMENT 4
SAMPLE CHAIN OF CUSTODY FORMS

[illegible]



CHAIN OF CUSTODY

NUMBER

27287

PAGE { OF

B4488

[illegible]

DISTRIBUTION: WHITE (ACCOMPANIES SAMPLE)

YELLOW (FIELD COPY)

PINK (FILE COPY)

4/02R
FORM NO. TINUS-001

**ATTACHMENT 5
DATA VALIDATION
PACKAGES**



Tetra Tech NUS

INTERNAL CORRESPONDENCE

TO: D. BRAYACK **DATE:** NOVEMBER 30, 2010
FROM: L. GANSER **COPIES:** DV FILE
SUBJECT: ORGANIC DATA VALIDATION – VOC
NWIRP BETHPAGE CTO 066
SAMPLE DELIVERY GROUP (SDG) 1010052
SAMPLES: 3/Aqueous/VOC
BP-OW-2-1 BP-OW-2-2 BP-OWTB-100610

Overview

The sample set for NWIRP Bethpage, CTO 066, SDG 1010052 consists of two (2) environmental aqueous samples and one (1) trip blank. The samples were analyzed for volatile organic compounds (VOCs). No field duplicates were included within this SDG.

The samples were collected on October 6 and 7, 2010 and analyzed by CompuChem, a division of Liberty Analytical Corporation. VOC analyses were conducted in accordance with EPA Method SW-846 8260B. The data contained in this SDG were validated with regard to the following parameters:

- * • Data completeness
- * • Holding times
- * • GC/MS Tune
- Initial/continuing calibrations
- Laboratory Method Blank Results
- * • Surrogate Recoveries
- Laboratory Control Sample/Laboratory Control Sample Duplicate Recoveries
- * • Internal Standard Recoveries
- * • Compound Quantitation
- * • Compound Identification
- * • Detection Limits

The symbol (*) indicates that all quality control criteria were met for this parameter. Qualified analytical results are presented in Appendix A, results as reported by the laboratory are presented in Appendix B, Region II data validation forms are presented in Appendix C, and documentation supporting these findings is presented in Appendix D.

Volatile Organic Compounds

Initial and continuing calibration relative response factor (RRF) was <0.05 for acetone. Positive results for acetone were qualified as estimated, "J".

Continuing calibration percent difference was greater than >20% quality control limit (but <90%) for bromomethane and 4-methyl-2-pentanone on 10/12/10 at 16:16 on instrument 5972hp59. Nondetected results for the aforementioned compounds were qualified as estimated, "UJ".

Contaminants were detected in laboratory method blank VBLKIN at the following maximum concentrations.

<u>Contaminant</u>	<u>Maximum Concentration (ug/L)</u>	<u>Action Level (ug/L)</u>
1,2,4-Trichlorobenzene	1.3	6.5
Naphthalene	3.8	19
Toluene	0.62	3.1

An action level of 5X the maximum contaminant concentration was established to evaluate the samples for laboratory method blank contamination. Sample aliquot and dilution factors were taken into consideration during application of the blank action level. Positive results less than the action level were qualified as nondetected, "U", due to blank contamination. The trip blank was not qualified for laboratory blank contamination.

Percent recovery for one surrogate (1,2-dichloroethane-d4) was greater than quality control limits for sample BP-OW-2-1. Positive results in sample BP-OW-2-1 were qualified as estimated, "J".

Additional Comments

Nondetected results are reported at the limit of detection (LOD).

Positive results below the limit of quantitation (LOQ) and above the detection limit were qualified as estimated, "J", due to uncertainty near the detection limit.

Laboratory control sample duplicate percent recovery was greater than quality control limit for chloromethane. No action was taken as all results for chloromethane were nondetects.

No matrix spike/matrix spike duplicate samples were requested.

EXECUTIVE SUMMARY


Laboratory Performance Issues: 1,2,4-Trichlorobenzene, naphthalene, and toluene were detected in a laboratory method blank. Initial and continuing calibration RRF was <0.05 for acetone. The continuing calibration percent difference was greater than the quality control limit for several analytes. Surrogate recovery was greater than quality control limits affecting one sample.

Other Factors Affecting Data Quality: None.


The data for these analyses were reviewed with reference to the EPA National Functional Guidelines for Organic Data Validation (10/99), USEPA Region II Standard Operating Procedures for Validating Volatile Organic Compounds by SW-846 Method 8260B HW-24 Revision 2 (August 2008) and the Department of Defense (DoD) document entitled "Quality Systems Manual (QSM) for Environmental Laboratories" (January 2006).

NOVEMBER 30, 2010
PAGE 3

The text of this report has been formulated to address only those problem areas affecting data quality.



Tetra Tech NUS
Leanne Ganser
Data Validator



TetraTech NUS
Joseph A. Samchuck
Data Validation Quality Assurance Officer

Attachments:

1. Appendix A - Qualified Analytical Results
2. Appendix B - Results as Reported by the Laboratory
3. Appendix C – Region II Data Validation Forms
4. Appendix D - Support Documentation

Appendix A

Qualified Analytical Results

Data Validation Qualifier Codes:

- A = Lab Blank Contamination
- B = Field Blank Contamination
- C = Calibration Noncompliance (e.g. % RSDs, %Ds, ICVs, CCVs, RRFs, etc.)
- C01 = GC/MS Tuning Noncompliance
- D = MS/MSD Recovery Noncompliance
- E = LCS/LCSD Recovery Noncompliance
- F = Lab Duplicate Imprecision
- G = Field Duplicate Imprecision
- H = Holding Time Exceedance
- I = ICP Serial Dilution Noncompliance
- J = GFAA PDS-GFAA MSA's $r < 0.995$ / ICP PDS Recovery Noncompliance
- K = ICP Interference - includes ICS % R Noncompliance
- L = Instrument Calibration Range Exceedance
- M = Sample Preservation Noncompliance
- N = Internal Standard Noncompliance
- N01 = Internal Standard Recovery Noncompliance Dioxins
- N02 = Recovery Standard Noncompliance Dioxins
- N03 = Clean-up Standard Noncompliance Dioxins
- O = Poor Instrument Performance (e.g. base-line drifting)
- P = Uncertainty near detection limit ($< 2 \times$ IDL for inorganics and $< CRQL$ for organics)
- Q = Other problems (can encompass a number of issues; e.g. chromatography, interferences, etc.)
- R = Surrogates Recovery Noncompliance
- S = Pesticide/PCB Resolution
- T = % Breakdown Noncompliance for DDT and Endrin
- U = % Difference between columns/detectors $> 25\%$ for positive results determined via GC/HPLC
- V = Non-linear calibrations; correlation coefficient $r < 0.995$
- W = EMPC result
- X = Signal to noise response drop
- Y = Percent solids $< 30\%$
- Z = Uncertainty at 2 sigma deviation is greater than sample activity

PROJ_NO: 00622 SDG: 1010052 FRACTION: OV MEDIA: WATER	NSAMPLE	BP-OW-2-1	BP-OW-2-2	BP-OWTB-100610
	LAB_ID	1010052-02	1010052-03	1010052-01
	SAMP_DATE	10/6/2010	10/7/2010	10/6/2010
	QC_TYPE	NM	NM	TB
	UNITS	UG/L	UG/L	UG/L
	PCT_SOLIDS	0.0	0.0	0.0
	DUP_OF			
PARAMETER				
1,1,1-TRICHLOROETHANE	RESULT	VQL	RESULT	VQL
	0.5 U		0.5 U	0.5 U
1,1,2,2-TETRACHLOROETHANE	2 U		2 U	2 U
1,1,2-TRICHLOROETHANE	2 U		2 U	2 U
1,1,2-TRICHLOROTRIFLUOROETHANE	2 U		2 U	2 U
1,1-DICHLOROETHANE	0.5 U		0.5 U	0.5 U
1,1-DICHLOROETHENE	2 U		2 U	2 U
1,1-DICHLOROPROPENE	0.5 U		0.5 U	0.5 U
1,2,4-TRICHLOROBENZENE	0.5 U		0.5 U	1.4 J
1,2-DIBROMO-3-CHLOROPROPANE	2 U		2 U	2 U
1,2-DIBROMOETHANE	0.5 U		0.5 U	0.5 U
1,2-DICHLOROBENZENE	0.5 U		0.5 U	0.5 U
1,2-DICHLOROETHANE	0.5 U		0.5 U	0.5 U
1,2-DICHLOROPROPANE	2 U		2 U	2 U
1,3-DICHLOROBENZENE	0.5 U		0.5 U	0.5 U
1,4-DICHLOROBENZENE	0.5 U		0.5 U	0.5 U
2-BUTANONE	5 U		5 U	6.8 J
2-HEXANONE	1.3 U		1.3 U	1.3 U
4-METHYL-2-PENTANONE	1.3 UJ	C	1.3 UJ	1.3 UJ
ACETONE	7.1 J	CPR	9.3 J	46 J
BENZENE	0.5 U		0.5 U	0.5 U
BROMODICHLOROMETHANE	0.5 U		0.5 U	0.5 U
BROMOFORM	2 U		2 U	2 U
BROMOMETHANE	2 UJ	C	2 UJ	2 UJ
CARBON DISULFIDE	0.5 U		0.5 U	0.5 U
CARBON TETRACHLORIDE	0.5 U		0.5 U	0.5 U
CHLOROBENZENE	0.5 U		0.5 U	0.5 U
CHLORODIBROMOMETHANE	0.5 U		0.5 U	0.5 U
CHLOROETHANE	2 U		12	13
CHLOROFORM	0.5 U		0.5 U	0.5 U
CHLOROMETHANE	0.5 U		0.5 U	0.5 U
CIS-1,2-DICHLOROETHENE	2 U		2 U	2 U
CIS-1,3-DICHLOROPROPENE	2 U		2 U	2 U
CYCLOHEXANE	0.5 U		0.5 U	0.5 U
DICHLORODIFLUOROMETHANE	0.5 U		0.5 U	0.5 U
ETHYLBENZENE	0.5 U		0.5 U	0.5 U
ISOPROPYLBENZENE	0.5 U		0.5 U	0.5 U

PROJ_NO: 00622 SDG: 1010052 FRACTION: OV MEDIA: WATER	NSAMPLE	BP-OW-2-1	BP-OW-2-2	BP-OWTB-100610		
	LAB_ID	1010052-02	1010052-03	1010052-01		
	SAMP_DATE	10/6/2010	10/7/2010	10/6/2010		
	QC_TYPE	NM	NM	TB		
	UNITS	UG/L	UG/L	UG/L		
	PCT_SOLIDS	0.0	0.0	0.0		
	DUP_OF					
PARAMETER	RESULT	VQL	QLCD	RESULT	VQL	QLCD
M+P-XYLENES	1 U			1 U		
METHYL ACETATE	2 U			2 U		
METHYL CYCLOHEXANE	0.5 U			0.5 U		
METHYL TERT-BUTYL ETHER	0.5 U			0.5 U		
METHYLENE CHLORIDE	0.5 U			0.5 U		
NAPHTHALENE	2 U			2 U		P
O-XYLENE	0.5 U			0.5 U		
STYRENE	0.5 U			0.5 U		
TETRACHLOROETHENE	0.5 U			0.5 U		
TOLUENE	0.79 U	A		0.73 U	A	P
TOTAL 1,2-DICHLOROETHENE	0.5 U			0.5 U		
TOTAL XYLENES	0.5 U			0.5 U		
TRANS-1,2-DICHLOROETHENE	0.5 U			0.5 U		
TRANS-1,3-DICHLOROPROPENE	0.5 U			0.5 U		
TRICHLOROETHENE	0.5 U			0.5 U		
TRICHLOROFLUOROMETHANE	0.5 U			0.5 U		
VINYL CHLORIDE	0.5 U			0.5 U		



Tetra Tech NUS

INTERNAL CORRESPONDENCE

TO: D. BRAYACK **DATE:** JANUARY 14, 2011
FROM: MICHELLE L. ALLEN **COPIES:** DV FILE
SUBJECT: ORGANIC DATA VALIDATION – VOC, SVOC, PEST, and PCB
NAVAL WEAPONS INDUSTRIAL RESERVE PLANT (NWIRP), BETHPAGE
CTO 066
SAMPLE DELIVERY GROUP (SDG) B4488

SAMPLES: 5/Aqueous/VOC

BP-TB01-20101208 BPOW-DUP01-20101208 BPOW1-3-20101208
BPOW2-1-20101208 BPOW2-2-20101208

1/IDW/VOC/SVOC/PEST/PCB

BP-FRACIDW-20101209

Overview

The sample sets for NWIRP Bethpage, SDG B4488 consisted of four (4) aqueous environmental samples, one (1) aqueous waste sample, and one (1) aqueous trip blank. All six (6) aqueous samples were analyzed for volatile organic compounds (VOC). The one (1) aqueous waste sample was analyzed for semi-volatile organic compounds (SVOC), pesticides (PEST), and polychlorinated biphenyls (PCB). One field duplicate sample pair was associated with this sample data group (SDG); BPOW-DUP01-20101208/BPOW1-3-20101208.

The samples were collected by Tetra Tech on December 8 and 9, 2010 and analyzed by Chemtech. All analyses were conducted in accordance with EPA Methods SW-846 8260B, 8270C, 8081, 8082 and EPA Method 624 analytical and reporting protocols. The data contained in this SDG was validated with regard to the following parameters:

- * • Data completeness
- * • Hold times
- * • GC/MS System Tuning and Performance
- Initial/continuing calibrations
- * • Laboratory Method Blank Results
- Surrogate Spike Recoveries
- Internal Standard Recoveries
- Laboratory Control Sample/Laboratory Control Sample Duplicate Recoveries
- Matrix Spike/Matrix Spike Duplicate Results
- * • Field Duplicate Precision Results
- * • Compound Identification
- * • Compound Quantitation
- * • Detection Limits

The symbol (*) indicates that all quality control criteria were met for this parameter. Qualified analytical results are presented in Appendix A, results as reported by the laboratory are presented in Appendix B, Region II data validation forms are presented in Appendix C, and documentation supporting these findings is presented in Appendix D.

Volatile (VOC)

The Percent Differences (%Ds) for 2-hexanone and bromoform exceeded the 20% quality control limit for the continuing calibration performed on instrument MSVOAD on 12/15/10 @ 11:33. Sample BPOW-DUP01-20101208 was affected. Only non-detected results were reported for these compounds in the affected sample and these non-detects were qualified as estimated, (UJ).

The continuing calibration %Ds for acetone and methyl acetate were greater than 20% quality control criteria on instrument MSVOAG on 12/13/10 @ 10:41 affecting samples TB01-20101208, BPOW1-3-20101208, BPOW2-1-20101208, and BPOW2-2-20101208. The non-detected results reported for these compounds were qualified as estimated, (UJ).

The Relative Percent Difference (RPD) for acetone, methyl acetate, 2-butanone, 1,1,2,2-tetrachloroethene, and 1,2-dibromo-3-chloropropane exceeded the 20% quality control limit in the Matrix Spike/Matrix Spike Duplicate (MS/MSD) analyses of sample BPOW2-1-20101208. No action was taken for the non-detected results reported for these compounds in the environmental sample since the Percent Recoveries (%Rs) were acceptable in the MS and MSD samples.

The Laboratory Control Sample (LCS), BSG1213W1, had %Rs for acetone and methyl acetate above the upper quality control limits. No action was taken in the affected samples since no positive results were reported for these compounds.

The LCS/Laboratory Control Sample Duplicate (LCSD) analyses, samples BSG1209W3/BSG1209W4, had RPDs for dichlorofluoromethane, chloromethane, vinyl chloride, bromomethane, chloroethane, trichlorofluoromethane, 1,1-dichloroethene, acetone, carbon disulfide, methyl acetate, and 2-butanone that exceeded 20%. In addition, the %R for acetone was greater than the upper quality control limit. No action was taken in the affected waste water sample since only non-detects were reported for the noncompliant compounds.

The positive result for 1,1-dichloroethane in sample BPOW2-2-20101208 reported below the Limit of Quantitation (LOQ) but above the Method Detection Limit (MDL) was qualified as estimated, (J). Non-detected results are reported to the Limit of Detection (LOD).

Semi-Volatile Organic Compounds (SVOC)

The internal standard, perylene-d12, was below the lower quality control limit in sample BP-FRACIDW-20101209. The sample was reanalyzed yielding similar results. The initial analysis of this sample was used in the data validation. The non-detected results reported the compounds associated with this internal standard were qualified as estimated, (UJ).

Pesticides (PEST)

No problems were noted.

Polychlorinated Biphenyls (PCB)

The surrogate spike compound, decachlorobiphenyl, had %Rs below the lower quality control limit in sample BP-FRACIDW-20101209 and its reanalysis. The initial analysis was used in the validation of the data. The non-detected results reported for the PCBs in this fraction were qualified as estimated, (UJ).

Additional Comments


The VOC analysis of the waste sample, BP-FRACIDW-20101209, was analyzed via EPA Method 624 and evaluated accordingly.


EXECUTIVE SUMMARY

Laboratory Performance Issues: Some compounds were estimated due to continuing calibration %Ds greater than their respective quality control limit. The VOC LCS/LSD had %Rs and RPDs outside the quality control limits. Noncompliant surrogate %Rs resulted in the qualification the waste sample in the PCB fraction. One internal standard was below the lower quality control limit in the SVOC analysis of the waste sample. Affected compounds were estimated.

Other Factors Affecting Data Quality: The MS/MSD sample had noncompliant %Rs and RPDs. Non-detected results were not qualified. A positive result reported below the LOQ but above the MDL was qualified as estimated, (J). Non-detected results are reported to the LOD.

The data for these analyses were reviewed with reference to the following: SOP #HW-24 Revision #2, August 2008, USEPA Region II Hazardous Waste Support Branch Validating Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry, SOP #HW-22 Revision #4, August 2008, USEPA Region II Hazardous Waste Support Branch Validating Semivolatile Organic Compounds by Gas Chromatography/Mass Spectrometry, SOP #HW-44 Revision #1, October 2006, USEPA Region II Hazardous Waste Support Branch Validating Pesticides by Gas Chromatography, SOP #HW-45 Revision #1, October 2006, USEPA Region II Hazardous Waste Support Branch Validating Polychlorinated Biphenyls by Gas Chromatography by SW-846 Methods 8260B, 8270C, 8081, and 8082, EPA Method 624, and the Department of Defense (DoD) document entitled "Quality Systems Manual (QSM) for Environmental Laboratories" (January 2006).


TetraTech NUS
Michelle L. Allen
Chemist/Data Validator


TetraTech NUS
Joseph A. Samchuck
Data Validation Quality Assurance Officer

Attachments:

1. Appendix A - Qualified Analytical Results
2. Appendix B - Results as Reported by the Laboratory
3. Appendix C - Region II Data Validation Forms
4. Appendix D - Support Documentation

Appendix A

Qualified Analytical Results

Data Validation Qualifier Codes:

- A = Lab Blank Contamination
- B = Field Blank Contamination
- C = Calibration Noncompliance (e.g. % RSDs, %Ds, ICVs, CCVs, RRFs, etc.)
- C01 = GC/MS Tuning Noncompliance
- D = MS/MSD Recovery Noncompliance
- E = LCS/LCSD Recovery Noncompliance
- F = Lab Duplicate Imprecision
- G = Field Duplicate Imprecision
- H = Holding Time Exceedance
- I = ICP Serial Dilution Noncompliance
- J = GFAA PDS - GFAA MSA's $r < 0.995$ / ICP PDS Recovery Noncompliance
- K = ICP Interference - includes ICS % R Noncompliance
- L = Instrument Calibration Range Exceedance
- M = Sample Preservation Noncompliance
- N = Internal Standard Noncompliance
- N01 = Internal Standard Recovery Noncompliance Dioxins
- N02 = Recovery Standard Noncompliance Dioxins
- N03 = Clean-up Standard Noncompliance Dioxins
- O = Poor Instrument Performance (e.g. base-line drifting)
- P = Uncertainty near detection limit ($< 2 \times \text{IDL}$ for inorganics and $< \text{CRQL}$ for organics)
- Q = Other problems (can encompass a number of issues; e.g. chromatography, interferences, etc.)
- R = Surrogates Recovery Noncompliance
- S = Pesticide/PCB Resolution
- T = % Breakdown Noncompliance for DDT and Endrin
- U = % Difference between columns/detectors $> 25\%$ for positive results determined via GC/HPLC
- V = Non-linear calibrations; correlation coefficient $r < 0.995$
- W = EMPC result
- X = Signal to noise response drop
- Y = Percent solids $< 30\%$
- Z = Uncertainty at 2 sigma deviation is greater than sample activity

PROJ NO: 00622 SDG: B4488 FRACTION: OV MEDIA: WATER	NSAMPLE	BP0W1-3-20101208	BP0W2-1-20101208	BP0W2-2-20101208	BP0W-DUP01-20101208
	LAB_ID	B4488-06	B4488-02	B4488-05	B4488-07
	SAMP_DATE	12/8/2010	12/8/2010	12/8/2010	12/8/2010
	QC_TYPE	NM	NM	NM	NM
	UNITS	UG/L	UG/L	UG/L	UG/L
	PCT_SOLIDS	0.0	0.0	0.0	0.0
	DUP_OF				
PARAMETER					
1,1,1-TRICHLOROETHANE		RESULT	VQL	QLCD	RESULT
			0.5 U		0.5 U
1,1,2,2-TETRACHLOROETHANE			0.5 U		0.5 U
1,1,2-TRICHLOROETHANE			0.5 U		0.5 U
1,1,2-TRICHLOROTRIFLUOROETHANE			0.5 U		0.5 U
1,1-DICHLOROETHANE			0.5 U		0.5 U
1,1-DICHLOROETHENE			0.5 U		0.5 U
1,2,4-TRICHLOROBENZENE			0.5 U		0.5 U
1,2-DIBROMO-3-CHLOROPROPANE			0.5 U		0.5 U
1,2-DIBROMOETHANE			0.5 U		0.5 U
1,2-DICHLOROBENZENE			0.5 U		0.5 U
1,2-DICHLOROETHANE			0.5 U		0.5 U
1,2-DICHLOROPROPANE			0.5 U		0.5 U
1,3-DICHLOROBENZENE			0.5 U		0.5 U
1,4-DICHLOROBENZENE			0.5 U		0.5 U
2-BUTANONE			2.5 U		2.5 U
2-HEXANONE			2.5 U		2.5 U
4-METHYL-2-PENTANONE			2.5 U		2.5 U
ACETONE			2.5 UJ	C	2.5 U
BENZENE			0.5 U		0.5 U
BROMODICHLOROMETHANE			0.5 U		0.5 U
BROMOFORM			0.5 U		0.5 U
BROMOMETHANE			0.5 U		0.5 U
CARBON DISULFIDE			0.5 U		0.5 U
CARBON TETRACHLORIDE			0.5 U		0.5 U
CHLOROBENZENE			0.5 U		0.5 U
CHLORODIBROMOMETHANE			0.5 U		0.5 U
CHLOROETHANE			0.5 U		0.5 U
CHLOROFORM			0.5 U		0.5 U
CHLOROMETHANE			0.5 U		0.5 U
CIS-1,2-DICHLOROETHENE			0.5 U		0.5 U
CIS-1,3-DICHLOROPROPENE			0.5 U		0.5 U
CYCLOHEXANE			0.5 U		0.5 U
DICHLORODIFLUOROMETHANE			0.5 U		0.5 U
ETHYLBENZENE			0.5 U		0.5 U
ISOPROPYLBENZENE			0.5 U		0.5 U
M+P-XYLENES			1 U	1 U	1 U

PROJ_NO: 00622 SDG: B4488 FRACTION: OV MEDIA: WATER	NSAMPLE	BP-TB01-20101208		
	LAB_ID	B4488-01		
	SAMP_DATE	12/8/2010		
	QC_TYPE	NM		
	UNITS	UG/L		
	PCT_SOLIDS	0.0		
	DUP_OF			
PARAMETER	RESULT	VQL	QLCD	
1,1,1-TRICHLOROETHANE	0.5 U			
1,1,2,2-TETRACHLOROETHANE	0.5 U			
1,1,2-TRICHLOROETHANE	0.5 U			
1,1,2-TRICHLOROTRIFLUOROETHANE	0.5 U			
1,1-DICHLOROETHANE	0.5 U			
1,1-DICHLOROETHENE	0.5 U			
1,2,4-TRICHLOROBENZENE	0.5 U			
1,2-DIBROMO-3-CHLOROPROPANE	0.5 U			
1,2-DIBROMOETHANE	0.5 U			
1,2-DICHLOROBENZENE	0.5 U			
1,2-DICHLOROETHANE	0.5 U			
1,2-DICHLOROPROPANE	0.5 U			
1,3-DICHLOROBENZENE	0.5 U			
1,4-DICHLOROBENZENE	0.5 U			
2-BUTANONE	2.5 U			
2-HEXANONE	2.5 U			
4-METHYL-2-PENTANONE	2.5 U			
ACETONE	2.5 UJ	C		
BENZENE	0.5 U			
BROMODICHLOROMETHANE	0.5 U			
BROMOFORM	0.5 U			
BROMOMETHANE	0.5 U			
CARBON DISULFIDE	0.5 U			
CARBON TETRACHLORIDE	0.5 U			
CHLOROBENZENE	0.5 U			
CHLORODIBROMOMETHANE	0.5 U			
CHLOROETHANE	0.5 U			
CHLOROFORM	0.5 U			
CHLOROMETHANE	0.5 U			
CIS-1,2-DICHLOROETHENE	0.5 U			
CIS-1,3-DICHLOROPROPENE	0.5 U			
CYCLOHEXANE	0.5 U			
DICHLORODIFLUOROMETHANE	0.5 U			
ETHYLBENZENE	0.5 U			
ISOPROPYLBENZENE	0.5 U			
M+P-XYLENES	1 U			

PROJ_NO: 00622 SDG: B4488 FRACTION: OV MEDIA: WATER	NSAMPLE	BP0W1-3-20101208	BP0W2-1-20101208	BP0W2-2-20101208	BP0W-DUP01-20101208
	LAB_ID	B4488-06	B4488-02	B4488-05	B4488-07
	SAMP_DATE	12/8/2010	12/8/2010	12/8/2010	12/8/2010
	QC_TYPE	NM	NM	NM	NM
	UNITS	UG/L	UG/L	UG/L	UG/L
	PCT_SOLIDS	0.0	0.0	0.0	0.0
	DUP_OF				
PARAMETER					
METHYL ACETATE	RESULT	VQL	QLCD	RESULT	VQL
	0.5 UJ	0.5 UJ	C	0.5 UJ	0.5 U
METHYL CYCLOHEXANE	0.5 U	0.5 U		0.5 U	0.5 U
METHYL TERT-BUTYL ETHER	0.5 U	0.5 U		0.5 U	0.5 U
METHYLENE CHLORIDE	0.5 U	0.5 U		0.5 U	0.5 U
O-XYLENE	0.5 U	0.5 U		0.5 U	0.5 U
STYRENE	0.5 U	0.5 U		0.5 U	0.5 U
TETRACHLOROETHENE	0.5 U	0.5 U		0.5 U	0.5 U
TOLUENE	0.5 U	0.5 U		0.5 U	0.5 U
TRANS-1,2-DICHLOROETHENE	0.5 U	0.5 U		0.5 U	0.5 U
TRANS-1,3-DICHLOROPROPENE	0.5 U	0.5 U		0.5 U	0.5 U
TRICHLOROETHENE	0.5 U	0.5 U		0.5 U	0.5 U
TRICHLOROFLUOROMETHANE	0.5 U	0.5 U		0.5 U	0.5 U
VINYL CHLORIDE	0.5 U	0.5 U		0.5 U	0.5 U

PROJ_NO: 00622 SDG: B4488 FRACTION: OV MEDIA: WATER	NSAMPLE	BP-TB01-20101208		
	LAB_ID	B4488-01		
	SAMP_DATE	12/8/2010		
	QC_TYPE	NM		
	UNITS	UG/L		
	PCT_SOLIDS	0.0		
DUP_OF				
PARAMETER		RESULT	VQL	QLCD
METHYL ACETATE		0.5 UJ	UJ	C
METHYL CYCLOHEXANE		0.5 U		
METHYL TERT-BUTYL ETHER		0.5 U		
METHYLENE CHLORIDE		0.5 U		
O-XYLENE		0.5 U		
STYRENE		0.5 U		
TETRACHLOROETHENE		0.5 U		
TOLUENE		0.5 U		
TRANS-1,2-DICHLOROETHENE		0.5 U		
TRANS-1,3-DICHLOROPROPENE		0.5 U		
TRICHLOROETHENE		0.5 U		
TRICHLOROFLUOROMETHANE		0.5 U		
VINYL CHLORIDE		0.5 U		